

PRO ADJUSTABLE NOZZLES

Hunter®

NEW!
4 and 6 Adjustable



Adjustable Arc Nozzles Performance Data

		4 Foot Radius Adjustable: 0° - 360° Trajectory: 0° Color Code: Lt. Green				6 Foot Radius Adjustable: 0° - 360° Trajectory: 0° Color Code: Lt. Blue				8 Foot Radius Adjustable: 0° - 360° Trajectory: 0° Color Code: Brown			
		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle	
		4A		6A		8A		4A		6A		8A	
Arc	Pressure PSI	Radius ft.	Flow GPM	Precip in/hr	▲	Radius ft.	Flow GPM	Precip in/hr	▲	Radius ft.	Flow GPM	Precip in/hr	▲
45°	20	3	0.11	5.44	6.28	5	0.15	3.21	3.70	7	0.12	1.83	2.11
	25	3	0.13	6.02	6.95	5	0.15	3.21	3.70	8	0.13	1.58	1.83
	30	4	0.13	6.45	7.45	6	0.18	3.85	4.45	8	0.15	1.75	2.02
	35	4	0.14	6.74	7.78	6	0.18	3.85	4.45	9	0.16	1.51	1.74
90°	20	3	0.19	4.57	5.28	5	0.30	3.21	3.70	7	0.23	1.83	2.11
	25	3	0.20	4.81	5.56	5	0.31	3.32	3.83	8	0.26	1.58	1.83
	30	4	0.28	6.74	7.78	6	0.37	3.96	4.57	8	0.29	1.75	2.02
	35	4	0.24	5.78	6.67	6	0.38	4.06	4.69	9	0.32	1.51	1.74
120°	20	3	0.28	5.05	5.84	5	0.37	2.97	3.43	7	0.31	1.83	2.11
	25	3	0.30	5.32	6.15	5	0.38	3.05	3.52	8	0.35	1.58	1.83
	30	4	0.34	6.14	7.09	6	0.44	3.53	4.08	8	0.39	1.75	2.02
	35	4	0.34	6.14	7.09	6	0.46	3.69	4.26	9	0.42	1.51	1.74
180°	20	3	0.34	4.09	4.72	5	0.50	2.67	3.09	7	0.47	1.83	2.11
	25	3	0.38	4.57	5.28	5	0.54	2.89	3.33	8	0.53	1.58	1.83
	30	4	0.45	5.41	6.25	6	0.60	3.21	3.70	8	0.58	1.75	2.02
	35	4	0.46	5.53	6.39	6	0.64	3.42	3.95	9	0.63	1.51	1.74
240°	20	4	0.48	5.78	6.67	6	0.68	3.64	4.20	9	0.68	1.62	1.87
	25	3	0.58	5.23	6.04	5	0.73	2.93	0.85	7	0.62	1.83	2.11
	30	4	0.62	5.59	6.46	6	0.88	3.53	4.08	8	0.78	1.75	2.02
	35	4	0.68	6.13	7.08	6	0.92	3.69	4.26	9	0.84	1.51	1.74
270°	20	4	0.80	7.22	8.34	6	1.02	4.09	1.18	9	0.91	1.62	1.87
	25	3	0.59	4.73	5.46	5	0.88	3.14	3.62	7	0.70	1.83	2.11
	30	4	0.73	5.86	6.76	6	1.10	3.92	4.53	8	0.87	1.75	2.02
	35	4	0.76	6.10	7.04	6	1.15	4.10	4.73	9	0.95	1.51	1.74
360°	20	4	0.80	6.42	7.41	6	1.20	4.28	4.94	9	1.02	1.62	1.87
	25	3	0.66	3.97	4.58	5	1.05	2.81	3.24	7	0.93	1.83	2.11
	30	4	0.80	4.81	5.56	6	1.26	3.37	3.89	8	1.16	1.75	2.02
	35	4	0.86	5.17	5.97	6	1.30	3.48	4.01	9	1.27	1.51	1.74
40	4	0.90	5.41	6.25	6	1.40	3.74	4.32	9	1.36	1.62	1.87	

		10 Foot Radius Adjustable: 0° - 360° Trajectory: 15° Color Code: Red				12 Foot Radius Adjustable: 0° - 360° Trajectory: 28° Color Code: Green				15 Foot Radius Adjustable: 0° - 360° Trajectory: 28° Color Code: Black				17 Foot Radius Adjustable: 0° - 360° Trajectory: 28° Color Code: Gray			
		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle		Nozzle	
		10A		12A		15A		17A		10A		12A		15A		17A	
Arc	Pressure PSI	Radius ft.	Flow GPM	Precip in/hr	▲	Radius ft.	Flow GPM	Precip in/hr	▲	Radius ft.	Flow GPM	Precip in/hr	▲	Radius ft.	Flow GPM	Precip in/hr	▲
45°	20	9	0.20	1.86	2.15	11	0.25	1.60	1.85	14	0.37	1.46	1.69	16	0.48	1.44	1.67
	25	10	0.22	1.71	1.97	12	0.28	1.52	1.76	15	0.42	1.44	1.66	17	0.54	1.45	1.67
	30	10	0.25	1.89	2.18	12	0.32	1.68	1.95	15	0.47	1.59	1.84	17	0.60	1.60	1.85
	35	11	0.27	1.70	1.96	13	0.34	1.56	1.80	16	0.51	1.52	1.76	18	0.65	1.55	1.79
90°	20	11	0.29	1.83	2.11	13	0.37	1.68	1.94	17	0.54	1.45	1.68	19	0.70	1.50	1.73
	25	9	0.39	1.86	2.15	11	0.50	1.60	1.85	14	0.74	1.46	1.69	16	0.96	1.44	1.67
	30	10	0.49	1.89	2.18	12	0.63	1.68	1.95	15	0.93	1.59	1.84	17	1.20	1.60	1.85
	35	11	0.53	1.70	1.96	13	0.69	1.56	1.80	16	1.01	1.52	1.76	18	1.31	1.55	1.79
120°	20	11	0.57	1.83	2.11	13	0.74	1.68	1.94	17	1.09	1.45	1.68	19	1.41	1.50	1.73
	25	9	0.52	1.86	2.15	11	0.67	1.60	1.85	14	0.99	1.46	1.69	16	1.28	1.44	1.67
	30	10	0.65	1.89	2.18	12	0.84	1.68	1.95	15	1.24	1.59	1.84	17	1.60	1.60	1.85
	35	11	0.71	1.70	1.96	13	0.91	1.56	1.80	16	1.35	1.52	1.76	18	1.74	1.55	1.79
180°	20	11	0.77	1.83	2.11	13	0.98	1.68	1.94	17	1.45	1.45	1.68	19	1.87	1.50	1.73
	25	9	0.78	1.86	2.15	11	1.01	1.60	1.85	14	1.49	1.46	1.69	16	1.92	1.44	1.67
	30	10	0.98	1.89	2.18	12	1.26	1.68	1.95	15	1.86	1.59	1.84	17	2.40	1.60	1.85
	35	11	1.07	1.70	1.96	13	1.37	1.56	1.80	16	2.02	1.52	1.76	18	2.61	1.55	1.79
240°	20	11	1.15	1.83	2.11	13	1.48	1.68	1.94	17	2.18	1.45	1.68	19	2.81	1.50	1.73
	25	9	1.05	1.86	2.15	11	1.34	1.60	1.85	14	1.98	1.46	1.69	16	2.56	1.44	1.67
	30	10	1.31	1.89	2.18	12	1.68	1.68	1.95	15	2.48	1.59	1.84	17	3.20	1.60	1.85
	35	11	1.42	1.70	1.96	13	1.83	1.56	1.80	16	2.70	1.52	1.76	18	3.48	1.55	1.79
270°	20	11	1.53	1.83	2.11	13	1.97	1.68	1.94	17	2.91	1.45	1.68	19	3.75	1.50	1.73
	25	9	1.18	1.86	2.15	11	1.51	1.60	1.85	14	2.23	1.46	1.69	16	2.88	1.44	1.67
	30	10	1.47	1.89	2.18	12	1.89	1.68	1.95	15	2.79	1.59	1.84	17	3.60	1.60	1.85
	35	11	1.60	1.70	1.96	13	2.06	1.56	1.80	16	3.04	1.52	1.76	18	3.92	1.55	1.79
360°	20	11	1.72	1.83	2.11	13	2.21	1.68	1.94	17	3.27	1.45	1.68	19	4.22	1.50	1.73
	25	9	1.57	1.86	2.15	11	2.02	1.60	1.85	14	2.98	1.46	1.69	16	3.84	1.44	1.67
	30	10	1.96	1.89	2.18	12	2.52	1.68	1.95	15	3.72	1.59	1.84	17	4.80	1.60	1.85
	35	11	2.13	1.70	1.96	13	2.74	1.56	1.80	16	4.05	1.52	1.76	18	5.22	1.55	1.79
40	11	2.30	1.83	2.11	13	2.95	1.68	1.94	17	4.36	1.45	1.68	19	5.62	1.50	1.73	



- Easy grip adjustment
- Crisp, well defined edges
- Large water droplets
- Superior distribution pattern
- Matched precip rate from 8'-17'

Cover all the angles. Fine-tune nozzles to the arc you need. Hey, we're on a roll. Introducing another new product from Hunter. Our new generation Pro Adjustable Nozzles are made to cover all angles. Whether hillside topography, a curved flower bed or other special landscape installation, challenging angles demand nozzles that adjust to their surroundings. Don't forget, these are perfect for right out-of-the-box standard angles as well. They offer the finest results of any adjustable arc nozzles in the industry.

We're talking well-defined, crisp edges. Engineered to deliver larger water drops, these nozzles also deter winds from dispersing water. With their matched precipitation, you can group them together, even with different radii. And their new top makes them easier to adjust than ever. Set our nozzles at any angle from 0° to 360°. You just grab a bag and go. Accomplish more with less inventory. No tools required. That's not all. They're color-coded for easy inventory and field ID. And very well-adjusted.

Note: The Institutional Spray's built-in pressure regulation controls output to a maximum of 30 PSI.

